

6. CUTLER, S.J. & D.J.M. WRIGHT. 1989. Comparison of immunofluorescence and enzyme linked immunosorbent assays for diagnosing Lyme disease. *J. Clin. Pathol.* 42:869-871.
7. GRODZICKI, R.L. & A.C. STEERE. 1989. Comparison of immunoblotting and indirect enzyme-linked immunosorbent assay using different antigen preparations for diagnosis of early Lyme disease. *J. Infect. Dis.* 157:790-797.
8. KARLSSON, M.; I. MÖLLEGÅRD, G. STERNSTED & B. WRETLIND. 1989. Comparison of western blot and enzyme linked immunosorbent assay for diagnosis of Lyme borreliosis. *Eur. J. Clin. Microbiol. Infect. Dis.* 8:871-877.
9. KRÖGER, W.H.; M. PULZ. 1991. Detection of *Borrelia burgdorferi* in cerebrospinal fluid by polymerase chain reaction. *J. Med. Microbiol.* 35:98-102.
10. LAWTON, N.F.; D.E. BATEMAN & E.C. GUY. 1989. Acute neuroborreliosis in a patient previously infected with *Borrelia burgdorferi*. *Lancet.* 2:390.
11. LEBECH, A.M.; P. HENDERSON, J. VUUST & K. HANSEN. 1991. Comparison of *in-vitro* culture and polymerase chain reaction for detection of *Borrelia burgdorferi* in tissue from experimentally infected animals. *J. Clin. Microbiol.* 29:731-737.
12. MAGNARELLI, L.A.; J.F. ANDERSON & R.C. JOHNSON. 1987. Cross reactivity in serological tests for Lyme disease and other spirochetal infections. *J. Infect. Dis.* 156:183-187.
13. MAGNARELLI, L.A.; J.M. MEEGAN, J.F. ANDERSON & W.A. CHAPPELL. 1984. Comparison of an indirect fluorescent-antibody test with an enzyme-linked immunosorbent assay for serological studies of Lyme disease. *J. Clin. Microbiol.* 20:181-184.
14. MALLOY, D.C.; R.K. NAUMAN & H. PAXTON. 1990. Detection of *Borrelia burgdorferi* using the PCR. *J. Clin. Microbiol.* 28:1089-1093.
15. MELTHERS, W.; J. MEIS, P. ROSA, E. CLAUS, L. NOHLMANS, R. KOOPMAN, A. HORREVARTS & J. GALAMA. 1991. Amplification of *Borrelia burgdorferi* in skin biopsies from patients with Lyme disease. *J. Clin. Microbiol.* 29:2401-2406.
16. REIK, L.; A.C. STEERE, N.H. BARTENHAGEN, R.F. SHOPPE & S.E. MALAWISTA. 1979. Neurologic abnormalities of Lyme disease. *Medicine*. (Baltimore). 58:281-294.
17. ROSA, P.; D. HOGAN & T.G. SCHWAN. 1991. Polymerase chain reaction analysis identify two distinct classes of *Borrelia burgdorferi*. *J. Clin. Microbiol.* 29:524-532.
18. STANEK, G.; M. PLETSCHEITE & H. FLAEM. 1988. European Lyme borreliosis. *Ann. N.Y. Acad. Sci.* 539:274-282.
19. STEERE, A.C. 1989. Lyme disease. *New Engl. J. Med.* 321:586-596.
20. STEERE, A.C.; R.L. GRODZICKI, A.N. KORNBLATT, J.E. CRAFT, A.G. BARBOUR, W. BURGDOFFER, G.P. SCHMID, E. JOHNSON & S.E. MALAWISTA. 1983. The spirochetal etiology of Lyme disease. *N. Engl. J. Med.* 308:737-740.
21. STEERE, A.C.; S.E. MALAWISTA & N.H. BARTENHAGEN. 1984. The clinical spectrum and treatment of Lyme disease. *Yale J. Biol. Med.* 57:453-461.